



Self Help Ambient M.Deck (Shutter & Fixed Back) Cupboard To Customer Side



Self Help Ambient M.Deck (Shutter & Rear Door) Cupboard To Operator Side

ABOUT

The ambient multideck is ideal for displaying confectionery, fruit, baked goods or drinks & forms part of the Glide range of mobile dining carts - a choice of cold, hot & ambient commercial catering carts that combine to form a food service counter solution as unique as your requirements !

This mobile, self contained display features a central locking, heavy duty security shutter & is available in four different Gastronorm lengths, with locking castors to easily position your equipment around the serving space.

The multideck accepts 1-1Gn (x100) container pans in the well/ storage area - perfect for bulk presentation of fruit and other morning goods. The display also features 3 tiers of sturdy 10mm thick glass shelving - each shelf fitted with point of sale ticket strips.

Illumination is provided by LED lighting and a storage cupboard with sliding doors is below. The multideck is available as self help with rear doors for loading.

The model is also produced with a bright steel fixed back panel for wall sited use.

HEIGHT OPTIONS & FINISHES

Low Height Model (Glide Junior).

850mm or 800mm high option codes for junior/ primary use.

Selection Of Colour Finishes To Bases.

11 alternative choices of durable steel, colour & wood effect for front/ side panels & front facing cupboard doors.

ACCESSORIES

Folding Steel Solid or Tubular Tray Slides.

Tray slides + 40mm (d) height = (h) - 50mm.

FEATURES

Download All Technical Drawings From www.cedfabsltd.co.uk

Model Sizes.

The Glide self help ambient multideck (with shutter) is a mobile, open front ambient multideck, with a pull down integral locking security shutter, available in 2-1Gn (825mm), 3-1Gn (1175mm), 4-1Gn (1525mm) & 5-1Gn (1875mm) lengths.

3 Tier Display Shelving, Deck Area & Cupboard Storage Space.

The display features 3 no.10mm thick glass shelves (adjustable in height & angle) & an ambient s/ steel storage well below (gastronorm depth). The glass shelving has product stops & 40mm(h) ticket strip holder to the front edge of each shelf. An ambient cupboard is provided below, with removable sliding s/steel cupboard doors & two levels of removable grid shelves.

Twin Locking Security Shutter.

The multideck features a centrally controlled, twin locking heavy duty security shutter. The shutter is supplied in a dark grey finish with continuous bottom pull handle and shutter stops, to prevent trapped fingers when operating !

LED Lighting.

Canopy lighting in a low energy LED fitting with opaque cover, colour 4000k.

Model Type: Self Help Ambient Multideck (Shutter & Rear Door).

Re-stocking access is by side hinged, glazed rear doors

Model Type: Self Help Ambient Multideck (Shutter & Fixed Back).

The fixed back multideck has front mounted light control switch and a bright s/steel inner back panel, it's designed for positioning in an alcove, against a wall or back to back to form a central island grab and go station !

Panoramic Glass Side Panels

Panoramic glazed side glass panels improve presentation appearance & add natural lighting in the display.

Model Dimensions.

700mm (D), 900mm (H), 1840mm (O/all Height), fitted with lockable heavy duty castors.

Finishes.

Base panels & front facing cupbd.(fixed back model) in plastisol steel, colour merlin grey, worktop/ rear facing cupbd.(rear door model) in 430gd. s/steel, well in 304gd. s/steel.

Power Supply.

Supplied with 3m lead & 13 amp UK plug (13A 230v 50Hz).

Equipment Conformity.

CE & UKCA Certified equipment.

FOOD DISPLAY TYPES

Drinks (Deck Area).

Still & carbonated, bottled, canned or cartoned, water, UHT dairy, lemonade, wine, beer, Lager, fruit juice & health drinks.

Food (Deck & Shelving Area):

Fruit, danish pastries, muffins, donuts, fruit cake, biscuits, chocolate, crackers, rice cakes, tacos, crisps, nuts & breakfast cereal.

Sandwiches, baguettes, rolls, barmcakes & cheese are subject to local health regulations re: display times

Self Help Ambient Multideck (Shutter & Rear Doors)

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	O/All Fin. Height (mm)	Depth With Tray Slide Up/ Down	Weight (kg)	Power (kW)
GMDA2RS	Glide SH Amb. Mdeck (Shutter & Door)	2-1 Gn	825 x 700 x 900	1840	1000/ 740mm	95	0.1
GMDA3RS	Glide SH Amb. Mdeck (Shutter & Door)	3-1 Gn	1175 x 700 x 900	1840	1000/ 740mm	129	0.1
GMDA4RS	Glide SH Amb. Mdeck (Shutter & Door)	4-1 Gn	1525 x 700 x 900	1840	1000/ 740mm	179	0.1
GMDA5RS	Glide SH Amb. Mdeck (Shutter & Door)	5-1 Gn	1875 x 700 x 900	1840	1000/ 740mm	215	0.2

Model Description. Glide mobile self help ambient multideck, rear doors, lockable roller shutter, 700(d) x 900(h)-o/all 1840(h), 3 no. adjustable (h) 10mm thk. glass shelves c/w ticket strips, LED lighting colour 4000k, glazed side panels & doors, front/ side base panels in leathergrain plastisol steel, colour merlin grey (BS 18B25), ambient rear opening cupboard under c/w removable rear sliding s/steel cupboard doors & 2 tiers removable grid shelves, lockable castors, 3m lead, 13A UK plug top.

Self Help Ambient Multideck (Shutter & Fixed Back)

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	O/All Fin. Height (mm)	Depth With Tray Slide Up/ Down	Weight (kg)	Power (kW)
GMDA2FBRS	Glide SH Amb. Mdeck (Shutter & F.B.)	2-1 Gn	825 x 700 x 900	1840	1000/ 740mm	85	0.1
GMDA3FBRS	Glide SH Amb. Mdeck (Shutter & F.B.)	3-1 Gn	1175 x 700 x 900	1840	1000/ 740mm	119	0.1
GMDA4FBRS	Glide SH Amb. Mdeck (Shutter & F.B.)	4-1 Gn	1525 x 700 x 900	1840	1000/ 740mm	166	0.1
GMDA5FBRS	Glide SH Amb. Mdeck (Shutter & F.B.)	5-1 Gn	1875 x 700 x 900	1840	1000/ 740mm	200	0.2

Model Description. Glide mobile self help ambient multideck, fixed back (wall sited), lockable roller shutter, 700(d) x 900(h)-o/all 1840(h), 3 no. adjustable (h) 10mm thk. glass shelves c/w ticket strips, LED lighting colour 4000k, glazed side panels, steel inner back panel, side & rear base panels in leathergrain plastisol steel, colour merlin grey (BS 18B25), ambient front opening cupboard under c/w removable front sliding cupboard doors in plastisol steel, colour merlin grey & 2 tiers removable grid shelves, lockable castors, 3m lead, 13A UK plug top.



Cupboard To Operator Side




Cupboard To Customer Side



Ambient Multideck (Shutter)

HEIGHT OPTIONS & FINISHES



Low Height Model (Glide Junior) - 800/ 850mm (h)

Code	Description	Base Height (mm)	Optional Tray Slide Height (mm)
G800H**	Glide Base Unit 800mm Height	800	745
G850H	Glide Base Unit 850mm Height	850	795

**G800H Bespoke Option (With Extended lead Time)

For Ambient Multideck (Shutter)

Option Description.

Lower height option codes for junior/ primary use.

****800mm (h) base unit, c/w 100mm lockable castors.**
(Optional trayslide height becomes 745mm high)**

850mm (h) base unit, c/w 100mm lockable castors.
(Optional trayslide height becomes 795mm high).



Model GMDA3RS
Option GBLUECHA3 Shown



Model GMDA3RS
Option GOAKCHA3 Shown

Colour Finishes To Base Panels

Option Description. 11 alternative choices of durable leathergrain plastisol steel colours & wood effect laminated steel for front/ side panels.

Code	Description	Capacity (Gn)
Ocean Blue (BS 18C37)		
GBLUECHA2	Glide Blue Fascia Amb.	2-1Gn
GBLUECHA3	Glide Blue Fascia Amb.	3-1Gn
GBLUECHA4	Glide Blue Fascia Amb.	4-1Gn
GBLUECHA5	Glide Blue Fascia Amb.	5-1Gn
Goosewing Light Grey (BS 10A05)		
GGREYCHA2	Glide Grey Fascia Amb.	2-1Gn
GGREYCHA3	Glide Grey Fascia Amb.	3-1Gn
GGREYCHA4	Glide Grey Fascia Amb.	4-1Gn
GGREYCHA5	Glide Grey Fascia Amb.	5-1Gn
Poppy Red (BS 04E5B)		
GPREDCHA2	Glide Red Fascia Amb.	2-1Gn
GPREDCHA3	Glide Red Fascia Amb.	3-1Gn
GPREDCHA4	Glide Red Fascia Amb.	4-1Gn
GPREDCHA5	Glide Red Fascia Amb.	5-1Gn
White (BS 00E55)		
GWHITCHA2	Glide White Fascia Amb.	2-1Gn
GWHITCHA3	Glide White Fascia Amb.	3-1Gn
GWHITCHA4	Glide White Fascia Amb.	4-1Gn
GWHITCHA5	Glide White Fascia Amb.	5-1Gn
Wood Grain Effect Panel, DL85 Walnut Finish		
GWALNCHA2	Glide Walnut Fascia Amb.	2-1Gn
GWALNCHA3	Glide Walnut Fascia Amb.	3-1Gn
GWALNCHA4	Glide Walnut Fascia Amb.	4-1Gn
GWALNCHA5	Glide Walnut Fascia Amb.	5-1Gn

Self Help Ambient M.deck (Shutter & Rear Doors)

Code	Description	Capacity (Gn)
Satin S/Steel (430 gd.)		
GSSTLCHA2	Glide S/Steel Fascia Amb.	2-1Gn
GSSTLCHA3	Glide S/Steel Fascia Amb.	3-1Gn
GSSTLCHA4	Glide S/Steel Fascia Amb.	4-1Gn
GSSTLCHA5	Glide S/Steel Fascia Amb.	5-1Gn
Forest Green/Heritage (RAL 6002)		
GGRENCHA2	Glide Green Fascia Amb.	2-1Gn
GGRENCHA3	Glide Green Fascia Amb.	3-1Gn
GGRENCHA4	Glide Green Fascia Amb.	4-1Gn
GGRENCHA5	Glide Green Fascia Amb.	5-1Gn
Buttermilk Cream/ Honesty (BS 10C31)		
GCREMCHA2	Glide Cream Fascia Amb.	2-1Gn
GCREMCHA3	Glide Cream Fascia Amb.	3-1Gn
GCREMCHA4	Glide Cream Fascia Amb.	4-1Gn
GCREMCHA5	Glide Cream Fascia Amb.	5-1Gn
Black (BS 00E53)		
GBLAKCHA2	Glide Black Fascia Amb.	2-1Gn
GBLAKCHA3	Glide Black Fascia Amb.	3-1Gn
GBLAKCHA4	Glide Black Fascia Amb.	4-1Gn
GBLAKCHA5	Glide Black Fascia Amb.	5-1Gn
Wood Grain Effect Panel, DL76 Beech Finish		
GBECCCHA2	Glide Beech Fascia Amb.	2-1Gn
GBECCCHA3	Glide Beech Fascia Amb.	3-1Gn
GBECCCHA4	Glide Beech Fascia Amb.	4-1Gn
GBECCCHA5	Glide Beech Fascia Amb.	5-1Gn
Wood Grain Effect Panel, DL84 Oak Finish		
GOAKCHA2	Glide Oak Fascia Amb.	2-1Gn
GOAKCHA3	Glide Oak Fascia Amb.	3-1Gn
GOAKCHA4	Glide Oak Fascia Amb.	4-1Gn
GOAKCHA5	Glide Oak Fascia Amb.	5-1Gn

Colour Finishes To Base Cupboard (Wall Sited)

Option Description. 11 choices of leathergrain plastisol steel colours & wood effect laminated steel for front opening sliding cupbd. doors/ sides.

Code	Description	Capacity (Gn)
Ocean Blue (BS 18C37)		
GBLUEWSA2	Glide Blue Cupb. Amb. (Wall)	2-1Gn
GBLUEWSA3	Glide Blue Cupb. Amb. (Wall)	3-1Gn
GBLUEWSA4	Glide Blue Cupb. Amb. (Wall)	4-1Gn
GBLUEWSA5	Glide Blue Cupb. Amb. (Wall)	5-1Gn
Goosewing Light Grey (BS 10A05)		
GGREYWSA2	Glide Grey Cupb. Amb. (Wall)	2-1Gn
GGREYWSA3	Glide Grey Cupb. Amb. (Wall)	3-1Gn
GGREYWSA4	Glide Grey Cupb. Amb. (Wall)	4-1Gn
GGREYWSA5	Glide Grey Cupb. Amb. (Wall)	5-1Gn
Poppy Red (BS 04E5B)		
GPREDWSA2	Glide Red Cupb. Amb. (Wall)	2-1Gn
GPREDWSA3	Glide Red Cupb. Amb. (Wall)	3-1Gn
GPREDWSA4	Glide Red Cupb. Amb. (Wall)	4-1Gn
GPREDWSA5	Glide Red Cupb. Amb. (Wall)	5-1Gn
White (BS 00E55)		
GWHITWSA2	Glide White Cupb. Amb. (Wall)	2-1Gn
GWHITWSA3	Glide White Cupb. Amb. (Wall)	3-1Gn
GWHITWSA4	Glide White Cupb. Amb. (Wall)	4-1Gn
GWHITWSA5	Glide White Cupb. Amb. (Wall)	5-1Gn
Wood Grain Effect Cupb. DL85 Walnut Finish		
GWALNWSA2	Glide Walnut Cupb. Amb. (Wall)	2-1Gn
GWALNWSA3	Glide Walnut Cupb. Amb. (Wall)	3-1Gn
GWALNWSA4	Glide Walnut Cupb. Amb. (Wall)	4-1Gn
GWALNWSA5	Glide Walnut Cupb. Amb. (Wall)	5-1Gn

Self Help Ambient M.deck (Shutter & Fixed Back)

Code	Description	Capacity (Gn)
Satin S/Steel (430 gd.)		
GSSTLWSA2	Glide S/Steel Cupb. Amb. (Wall)	2-1Gn
GSSTLWSA3	Glide S/Steel Cupb. Amb. (Wall)	3-1Gn
GSSTLWSA4	Glide S/Steel Cupb. Amb. (Wall)	4-1Gn
GSSTLWSA5	Glide S/Steel Cupb. Amb. (Wall)	5-1Gn
Forest Green/Heritage (RAL 6002)		
GGRENWSA2	Glide Green Cupb. Amb. (Wall)	2-1Gn
GGRENWSA3	Glide Green Cupb. Amb. (Wall)	3-1Gn
GGRENWSA4	Glide Green Cupb. Amb. (Wall)	4-1Gn
GGRENWSA5	Glide Green Cupb. Amb. (Wall)	5-1Gn
Buttermilk Cream/ Honesty (BS 10C31)		
GCREMWSA2	Glide Cream Cupb. Amb. (Wall)	2-1Gn
GCREMWSA3	Glide Cream Cupb. Amb. (Wall)	3-1Gn
GCREMWSA4	Glide Cream Cupb. Amb. (Wall)	4-1Gn
GCREMWSA5	Glide Cream Cupb. Amb. (Wall)	5-1Gn
Black (BS 00E53)		
GBLAKWSA2	Glide Black Cupb. Amb. (Wall)	2-1Gn
GBLAKWSA3	Glide Black Cupb. Amb. (Wall)	3-1Gn
GBLAKWSA4	Glide Black Cupb. Amb. (Wall)	4-1Gn
GBLAKWSA5	Glide Black Cupb. Amb. (Wall)	5-1Gn
Wood Grain Effect Cupb. DL76 Beech Finish		
GBECCWSA2	Glide Beech Cupb. Amb. (Wall)	2-1Gn
GBECCWSA3	Glide Beech Cupb. Amb. (Wall)	3-1Gn
GBECCWSA4	Glide Beech Cupb. Amb. (Wall)	4-1Gn
GBECCWSA5	Glide Beech Cupb. Amb. (Wall)	5-1Gn
Wood Grain Effect Cupb. DL84 Oak Finish		
GOAKWSA2	Glide Oak Cupb. Amb. (Wall)	2-1Gn
GOAKWSA3	Glide Oak Cupb. Amb. (Wall)	3-1Gn
GOAKWSA4	Glide Oak Cupb. Amb. (Wall)	4-1Gn
GOAKWSA5	Glide Oak Cupb. Amb. (Wall)	5-1Gn



Model GMDA3FBRS
Option GGRENWSA3 Shown



Model GMDA3FBRS
Option GBECCWSA3 Shown



Ambient Multideck (Shutter)

ACCESSORIES & POPULAR CODES




Glide S/Steel Folding Tubular Tray Rail

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	Weight (kg)
GTTS2	Glide S/Steel Drop Down Tray Rail	2-1Gn	825 x 298 x (base-55)	2
GTTS3	Glide S/Steel Drop Down Tray Rail	3-1Gn	1175 x 298 x (base-55)	3
GTTS4	Glide S/Steel Drop Down Tray Rail	4-1Gn	1525 x 298 x (base-55)	5
GTTS5	Glide S/Steel Drop Down Tray Rail	5-1Gn	1875 x 298 x (base-55)	7

For Amb. Multideck (Shutter)

Option Description.
S/steel tubular tray rail, 304 gd. Ø25 tube, drop down bracket type, up position depth + 298 mm to base unit, down position depth + 40mm to base unit. Trayslide height = base unit (h) - 50mm.



Glide S/Steel Folding Solid Tray Slide

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	Weight (kg)
GSTS2	Glide S/Steel Drop Down Solid Tray Slide	2-1Gn	825 x 302 x (base-55)	3
GSTS3	Glide S/Steel Drop Down Solid Tray Slide	3-1Gn	1175 x 302 x (base-55)	5
GSTS4	Glide S/Steel Drop Down Solid Tray Slide	4-1Gn	1525 x 302 x (base-55)	7
GSTS5	Glide S/Steel Drop Down Solid Tray Slide	5-1Gn	1875 x 302 x (base-55)	9

For Amb. Multideck (Shutter)

Option Description.
S/steel solid tray slide, drop down bracket type, up position depth + 302 mm to base unit, down position depth + 40mm to base unit. Trayslide height = base unit (h) - 50mm.



Glide S.Help Amb.M.deck (Shutter) Doors (& Tray Rail)

Model Code	Option Code	Description
GMDA2RS	GTTS2	Glide SH Amb. M.Deck-Shutter/Door/ T.Rail 2-1
GMDA3RS	GTTS3	Glide SH Amb. M.Deck-Shutter/Door/ T.Rail 3-1
GMDA4RS	GTTS4	Glide SH Amb. M.Deck-Shutter/Door/ T.Rail 4-1
GMDA5RS	GTTS5	Glide SH Amb. M.Deck-Shutter/Door/ T.Rail 5-1

Cupboard To Operator Side



Glide S.Help Amb. M.deck (Shutter) Fixed Back (& Tray Rail)

Model Code	Option Code	Description
GMDA2FBRS	GTTS2	Glide SH Amb. M.Deck-Shutter/ F.Back/ T.Rail 2-1
GMDA3FBRS	GTTS3	Glide SH Amb. M.Deck-Shutter/ F.Back/ T.Rail 3-1
GMDA4FBRS	GTTS4	Glide SH Amb. M.Deck-Shutter/ F.Back/ T.Rail 4-1
GMDA5FBRS	GTTS5	Glide SH Amb. M.Deck-Shutter/ F.Back/ T.Rail 5-1



Glide S.Help Amb. M.deck (Shutter) Doors (& Tray Slide)

Model Code	Option Code	Description
GMDA2RS	GSTS2	Glide SH Amb. M.Deck-Shutter/ Door/ T.Slide 2-1
GMDA3RS	GSTS3	Glide SH Amb. M.Deck-Shutter/ Door/ T.Slide 3-1
GMDA4RS	GSTS4	Glide SH Amb. M.Deck-Shutter/ Door/ T.Slide 4-1
GMDA5RS	GSTS5	Glide SH Amb. M.Deck-Shutter/ Door/ T.Slide 5-1

Cupboard To Operator Side



Glide S.Help Amb. M.deck (Shutter) Fixed Back (& Tray Slide)

Model Code	Option Code	Description
GMDA2FBRS	GSTS2	Glide SH Amb. M.Deck-Shutter/ F.Back/ T.Slide 2-1
GMDA3FBRS	GSTS3	Glide SH Amb. M.Deck-Shutter/ F.Back/ T.Slide 3-1
GMDA4FBRS	GSTS4	Glide SH Amb. M.Deck-Shutter/ F.Back/ T.Slide 4-1
GMDA5FBRS	GSTS5	Glide SH Amb. M.Deck-Shutter/ F.Back/ T.Slide 5-1



Glide S.Help Amb. M.deck (Shutter) Doors (Colour Finish Red)

Model Code	Option Code	Description
GMDA2RS	GPREDCHA2	Glide SH Amb. M.Deck-Shutter/Door (Red) 2-1
GMDA3RS	GPREDCHA3	Glide SH Amb. M.Deck-Shutter/Door (Red) 3-1
GMDA4RS	GPREDCHA4	Glide SH Amb. M.Deck-Shutter/Door (Red) 4-1
GMDA5RS	GPREDCHA5	Glide SH Amb. M.Deck-Shutter/Door (Red) 5-1


Cupboard To Operator Side




Glide S.Help Amb. M.deck (Shutter) Fixed Back (Colour Finish Red)

Model Code	Option Code	Description
GMDA2FBRS	GPREDWSA2	Glide SH Amb. M.Deck-Shutter/ F.Back/ Red 2-1
GMDA3FBRS	GPREDWSA3	Glide SH Amb. M.Deck-Shutter/ F.Back/ Red 3-1
GMDA4FBRS	GPREDWSA4	Glide SH Amb. M.Deck-Shutter/ F.Back/ Red 4-1
GMDA5FBRS	GPREDWSA5	Glide SH Amb. M.Deck-Shutter/ F.Back/ Red 5-1


Cupboard To Customer Side




Glide Amb. M.deck (Shutter) Door (Self Help)



Glide Amb. M.deck (Shutter) F.Back (Self Help)



Glide Amb. M.deck (Shutter) Door (Self Help + Tray Rail)



Glide Amb. M.deck (Shutter) F. Back (Self Help + Tray Rail)

