




# Refrigerated Cold Multideck



Self Help Cold M. Deck  
(Fixed Back) Shown  
Std Airflow In/Out Customer Side



Self Help Cold M. Deck  
(Rear Doors) Shown  
Std Airflow In/Out Operator Side

## ABOUT

The energy efficient, environmentally friendly fan blown cold multideck is part of the Glide range of mobile dining carts - a choice of cold, hot & ambient commercial catering carts that combine to form a food service counter solution as unique as your requirements !

The cold multideck circulates a constant stream of cold air within the display area, maintaining pre-chilled food between 2- 5 degrees C, just right for your fruit and vegetables, sandwiches, yoghurts, salads and cold drinks.

This mobile self contained display is available in four different Gastronorm lengths, with locking castors to easily position your equipment around your serving space. The display accepts 1-1Gn (x100) container pans in the deck area if required.

Digital temperature control, auto defrost & the auto condensate evaporation tray allow 24 hour operation if required. All our Glide cold displays use a highly efficient, naturally occurring hydrocarbon refrigerant gas within hermetically sealed condensing units, which reduce energy consumption and your carbon footprint !

## HEIGHT OPTIONS & FINISHES

### Low Height Model (Glide Junior).

850mm or 800mm high option codes for junior/ primary use.

### Selection Of Colour Finishes To Base Panels.

11 alternative choices of durable colour & wood effect front/ side fascia panels.

## ACCESSORIES

### Folding Steel Solid or Tubular Tray Slides.

Tray slides + 40mm (d) height = (h) - 50mm.

### Insulated Night Blind.

An energy saving insulated pull down night blind is available with hook fastening. (The blind can be factory fitted or retro-fitted on site by a competent person).



## FEATURES

Download All Technical Drawings From [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

### Model Sizes.

The Glide self help or assisted service cold multideck is a mobile, open or closed glass front cold multideck, available in 2-1Gn (825mm), 3-1Gn (1175mm), 4-1Gn (1525mm) & 5-1Gn (1875mm) lengths.

### 3 Tier Shelving & Deck Storage Capacity.

The display features 3 chilled glass shelves (adjustable in height & angle) & chilled s/ steel bottle storage well below (gastronorm depth). The toughened glass shelving has product stops & 40mm(h) ticket strip holder to the front edge of each shelf.

### LED Lighting.

Canopy lighting in a low energy LED fitting with opaque cover, colour 4000k.

### Model Type: Self Help Cold Multideck (Rear Doors).

Re-stocking access is by energy efficient, side hinged double glazed rear doors

### Model Type: Self Help Cold Multideck (Fixed Back).

The cold multideck is available with wall sited front airflow, front control panel and bright polished steel back panel for positioning in an alcove, against a wall or back to back, forming a central island grab and go station !

### Model Type: Assisted Service Cold Multideck (Rear Doors).

Features a full glazed front screen that tilts forward for cleaning. Re-stocking access is through the energy efficient, side hinged double glazed rear doors.

### Panoramic Glass Side Panels

Panoramic double glazed side glass panels retain temperature, help eliminate condensation, improve presentation appearance & add natural lighting in the display.

### Model Dimensions.

700mm (D), 900mm (H), 1655mm (O/all Height), fitted with lockable heavy duty castors.

### Refrigeration Type.

Fan blown, hydrocarbon r290 energy efficient refrigeration.

### System Design.

Auto defrost with 24 hour operation & digital temperature control.

### Temperature Performance.

Can achieve temperatures of 0°C to 5°C (max 27°C ambient 55% humidity).

### Auto Drip Tray.

Integral auto evaporator condensate drip tray (float & micro switch).

### Finishes.

Base panel finish plastisol steel, colour merlin grey (BS 18B25), worktop 430gd s/steel, well area & removable deck plates 304gd s/steel.

### Standard Airflow.

(Rear Doors) In/ out operator side c/w lift off rear service & maintenance panel. (Fixed Back) In/ out to customer side c/w lift off front service & maintenance panel.

### Power Supply.

Supplied with 3m lead & 13 amp UK plug (13A 230v 50Hz).

### Environmental Benefits.

Hydrocarbon refrigeration system (r290) has low global warming potential (GWP) & zero ozone depletion potential (ODP)

### Equipment Conformity.

CE & UKCA Certified equipment.

## Self Help Cold Multideck (Rear Doors)

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	O/All Fin. Height (mm)	Depth With Tray Slide Up/ Down	Weight (kg)	Power Rating (kW)
GMDR2HT	Glide S.Help Cold Mdeck (R.Doors)	2-1 Gn	825 x 700 x 900	1655	1000/ 740mm	120	1.51
GMDR3HT	Glide S.Help Cold Mdeck (R.Doors)	3-1 Gn	1175 x 700 x 900	1655	1000/ 740mm	160	1.73
GMDR4HT	Glide S.Help Cold Mdeck (R.Doors)	4-1 Gn	1525 x 700 x 900	1655	1000/ 740mm	200	1.73
GMDR5HT	Glide S.Help Cold Mdeck (R.Doors)	5-1 Gn	1875 x 700 x 900	1655	1000/ 740mm	240	2.20

**Model Description.** Glide mobile self help cold multideck, rear doors, 700(d) x 900 (h)-o/all 1655(h), 3 no. adjustable (h) glass shelves c/w ticket strips, fan blown, hydrocarbon r290 energy efficient refrigeration, LED lighting colour 4000k, auto defrost, 24 hour operation, auto evaporator condensate tray, double glazed side panels & doors, front/side base panels in leathergrain plastisol steel, colour merlin grey (BS 18B25), lift off rear service panel, lockable castors, 3m lead, 13A UK plug top. Air In/ Out Operator Side.

## Self Help Cold Multideck (Fixed Back)

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	O/All Fin. Height (mm)	Depth With Tray Slide Up/ Down	Weight (kg)	Power Rating (kW)
GMDF2HT	Glide S.Help Cold Mdeck (F. Back)	2-1 Gn	825 x 700 x 900	1655	1000/ 740mm	110	1.51
GMDF3HT	Glide S.Help Cold Mdeck (F. Back)	3-1 Gn	1175 x 700 x 900	1655	1000/ 740mm	150	1.73
GMDF4HT	Glide S.Help Cold Mdeck (F. Back)	4-1 Gn	1525 x 700 x 900	1655	1000/ 740mm	190	1.73
GMDF5HT	Glide S.Help Cold Mdeck (F. Back)	5-1 Gn	1875 x 700 x 900	1655	1000/ 740mm	230	2.20

**Model Description.** Glide mobile self help cold multideck, fixed rear back panel (wall sited), 700(d) x 900 (h)-o/all 1655(h), 3 no. adjustable (h) glass shelves c/w ticket strips, fan blown, hydrocarbon r290 energy efficient refrigeration, LED lighting colour 4000k, auto defrost, 24 hour operation, auto evaporator condensate tray, double glazed side panels, front/side base panels in leathergrain plastisol steel, colour merlin grey (BS 18B25), lift off ventilated front service panel, lockable castors, 3m lead, 13A UK plug top. Air In/ Out Customer Side.

## Assisted Service Cold Multideck (Rear Doors)

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	O/All Fin. Height (mm)	Depth With Tray Slide Up/ Down	Weight (kg)	Power Rating (kW)
GMDR2ASHT	Glide A.Serve Cold Mdeck (R.Door)	2-1 Gn	825 x 700 x 900	1655	1000/ 740mm	122	1.51
GMDR3ASHT	Glide A.Serve Cold Mdeck (R.Door)	3-1 Gn	1175 x 700 x 900	1655	1000/ 740mm	163	1.75
GMDR4ASHT	Glide A.Serve Cold Mdeck (R.Door)	4-1 Gn	1525 x 700 x 900	1655	1000/ 740mm	203	1.82
GMDR5ASHT	Glide A.Serve Cold Mdeck (R.Door)	5-1 Gn	1875 x 700 x 900	1655	1000/ 740mm	244	2.20


**Model Description.** Glide mobile ass. service cold multideck, rear doors, front glass, 700(d) x 900 (h)-o/all 1655(h), 3 no. adjustable (h) glass shelves c/w ticket strips, fan blown, hydrocarbon r290 energy efficient refrigeration, LED lighting colour 4000k, auto defrost, 24 hour operation, auto evaporator condensate tray, double glazed side panels & doors, front/side base panels in leathergrain plastisol steel, colour merlin grey (BS 18B25), lift off rear service panel, lockable castors, 3m lead, 13A UK plug top. Air In/ Out Operator Side.





# Refrigerated Cold Multideck

## HEIGHT OPTIONS & FINISHES



### Low Height Model (Glide Junior) - 800/ 850mm (h)

Code	Description	Base Height (mm)	Optional Tray Slide Height (mm)
G800H**	Glide Base Unit 800mm Height	800	745
G850H	Glide Base Unit 850mm Height	850	795

\*\*G800H Bespoke Option (With Extended lead Time)

### For Cold Multideck

#### Option Description.

Lower height option codes for junior/ primary use.


**\*\*800mm (h) base unit, c/w 100mm lockable castors.**  
(Optional trayslide height becomes 745mm high)\*\*

**850mm (h) base unit, c/w 100mm lockable castors.**  
(Optional trayslide height becomes 795mm high).

### Colour Finishes To Base Panels ( Front & Sides)

**Option Description.** 11 alternative choices of durable leathergrain plastisol steel colours & wood effect laminated steel for front/ side panels.

Code	Description	Capacity (Gn)
<b>Ocean Blue (BS 18C37)</b>		
GBLUECHA2	Glide Blue Fascia Cold	2-1Gn
GBLUECHA3	Glide Blue Fascia Cold	3-1Gn
GBLUECHA4	Glide Blue Fascia Cold	4-1Gn
GBLUECHA5	Glide Blue Fascia Cold	5-1Gn
<b>Goosewing Light Grey (BS 10A05)</b>		
GGREYCHA2	Glide Grey Fascia Cold	2-1Gn
GGREYCHA3	Glide Grey Fascia Cold	3-1Gn
GGREYCHA4	Glide Grey Fascia Cold	4-1Gn
GGREYCHA5	Glide Grey Fascia Cold	5-1Gn
<b>Poppy Red (BS 04E5B)</b>		
GPREDCHA2	Glide Red Fascia Cold	2-1Gn
GPREDCHA3	Glide Red Fascia Cold	3-1Gn
GPREDCHA4	Glide Red Fascia Cold	4-1Gn
GPREDCHA5	Glide Red Fascia Cold	5-1Gn
<b>White (BS 00E55)</b>		
GWHITCHA2	Glide White Fascia Cold	2-1Gn
GWHITCHA3	Glide White Fascia Cold	3-1Gn
GWHITCHA4	Glide White Fascia Cold	4-1Gn
GWHITCHA5	Glide White Fascia Cold	5-1Gn
<b>Wood Grain Effect Panel, DL85 Walnut Finish</b>		
GWALNCHA2	Glide Walnut Fascia Cold	2-1Gn
GWALNCHA3	Glide Walnut Fascia Cold	3-1Gn
GWALNCHA4	Glide Walnut Fascia Cold	4-1Gn
GWALNCHA5	Glide Walnut Fascia Cold	5-1Gn



Code	Description	Capacity (Gn)
<b>Satin S/Steel (430 gd.)</b>		
GSSTLCHA2	Glide S/Steel Fascia Cold	2-1Gn
GSSTLCHA3	Glide S/Steel Fascia Cold	3-1Gn
GSSTLCHA4	Glide S/Steel Fascia Cold	4-1Gn
GSSTLCHA5	Glide S/Steel Fascia Cold	5-1Gn

Code	Description	Capacity (Gn)
<b>Forest Green/Heritage (RAL 6002)</b>		
GGRENCHA2	Glide Green Fascia Cold	2-1Gn
GGRENCHA3	Glide Green Fascia Cold	3-1Gn
GGRENCHA4	Glide Green Fascia Cold	4-1Gn
GGRENCHA5	Glide Green Fascia Cold	5-1Gn

Code	Description	Capacity (Gn)
<b>Buttermilk Cream/ Honesty (BS 10C31)</b>		
GCREMCHA2	Glide Cream Fascia Cold	2-1Gn
GCREMCHA3	Glide Cream Fascia Cold	3-1Gn
GCREMCHA4	Glide Cream Fascia Cold	4-1Gn
GCREMCHA5	Glide Cream Fascia Cold	5-1Gn

Code	Description	Capacity (Gn)
<b>Black (BS 00E53)</b>		
GBLAKCHA2	Glide Black Fascia Cold	2-1Gn
GBLAKCHA3	Glide Black Fascia Cold	3-1Gn
GBLAKCHA4	Glide Black Fascia Cold	4-1Gn
GBLAKCHA5	Glide Black Fascia Cold	5-1Gn


Code	Description	Capacity (Gn)
<b>Wood Grain Effect Panel, DL76 Beech Finish</b>		
GBEECCHA2	Glide Beech Fascia Cold	2-1Gn
GBEECCHA3	Glide Beech Fascia Cold	3-1Gn
GBEECCHA4	Glide Beech Fascia Cold	4-1Gn
GBEECCHA5	Glide Beech Fascia Cold	5-1Gn

Code	Description	Capacity (Gn)
<b>Wood Grain Effect Panel, DL84 Oak Finish</b>		
GOAKCHA2	Glide Oak Fascia Cold	2-1Gn
GOAKCHA3	Glide Oak Fascia Cold	3-1Gn
GOAKCHA4	Glide Oak Fascia Cold	4-1Gn
GOAKCHA5	Glide Oak Fascia Cold	5-1Gn

### Colour Finishes To Base Panels ( Wall Sited Models)

**Option Description.** 11 alternative choices of ventilated leathergrain plastisol steel colours & wood effect laminated steel for front/ side panels.

Code	Description	Capacity (Gn)
<b>Ocean Blue (BS 18C37)</b>		
GBLUEWSC2	Glide Blue Fascia Cold (Wall)	2-1Gn
GBLUEWSC3	Glide Blue Fascia Cold (Wall)	3-1Gn
GBLUEWSC4	Glide Blue Fascia Cold (Wall)	4-1Gn
GBLUEWSC5	Glide Blue Fascia Cold (Wall)	5-1Gn
<b>Goosewing Light Grey (BS 10A05)</b>		
GGREYWSC2	Glide Grey Fascia Cold (Wall)	2-1Gn
GGREYWSC3	Glide Grey Fascia Cold (Wall)	3-1Gn
GGREYWSC4	Glide Grey Fascia Cold (Wall)	4-1Gn
GGREYWSC5	Glide Grey Fascia Cold (Wall)	5-1Gn
<b>Poppy Red (BS 04E5B)</b>		
GPREDWSC2	Glide Red Fascia Cold (Wall)	2-1Gn
GPREDWSC3	Glide Red Fascia Cold (Wall)	3-1Gn
GPREDWSC4	Glide Red Fascia Cold (Wall)	4-1Gn
GPREDWSC5	Glide Red Fascia Cold (Wall)	5-1Gn
<b>White (BS 00E55)</b>		
GWHITWSC2	Glide White Fascia Cold (Wall)	2-1Gn
GWHITWSC3	Glide White Fascia Cold (Wall)	3-1Gn
GWHITWSC4	Glide White Fascia Cold (Wall)	4-1Gn
GWHITWSC5	Glide White Fascia Cold (Wall)	5-1Gn
<b>Wood Grain Effect Panel, DL85 Walnut Finish</b>		
GWALNWSC2	Glide Walnut Fascia Cold (Wall)	2-1Gn
GWALNWSC3	Glide Walnut Fascia Cold (Wall)	3-1Gn
GWALNWSC4	Glide Walnut Fascia Cold (Wall)	4-1Gn
GWALNWSC5	Glide Walnut Fascia Cold (Wall)	5-1Gn



Code	Description	Capacity (Gn)
<b>Satin S/Steel (430 gd.)</b>		
GSSTLWSC2	Glide S/Steel Fascia Cold (Wall)	2-1Gn
GSSTLWSC3	Glide S/Steel Fascia Cold (Wall)	3-1Gn
GSSTLWSC4	Glide S/Steel Fascia Cold (Wall)	4-1Gn
GSSTLWSC5	Glide S/Steel Fascia Cold (Wall)	5-1Gn

Code	Description	Capacity (Gn)
<b>Forest Green/Heritage (RAL 6002)</b>		
GGRENWSC2	Glide Green Fascia Cold (Wall)	2-1Gn
GGRENWSC3	Glide Green Fascia Cold (Wall)	3-1Gn
GGRENWSC4	Glide Green Fascia Cold (Wall)	4-1Gn
GGRENWSC5	Glide Green Fascia Cold (Wall)	5-1Gn

Code	Description	Capacity (Gn)
<b>Buttermilk Cream/ Honesty (BS 10C31)</b>		
GCREMWSC2	Glide Cream Fascia Cold (Wall)	2-1Gn
GCREMWSC3	Glide Cream Fascia Cold (Wall)	3-1Gn
GCREMWSC4	Glide Cream Fascia Cold (Wall)	4-1Gn
GCREMWSC5	Glide Cream Fascia Cold (Wall)	5-1Gn

Code	Description	Capacity (Gn)
<b>Black (BS 00E53)</b>		
GBLAKWSC2	Glide Black Fascia Cold (Wall)	2-1Gn
GBLAKWSC3	Glide Black Fascia Cold (Wall)	3-1Gn
GBLAKWSC4	Glide Black Fascia Cold (Wall)	4-1Gn
GBLAKWSC5	Glide Black Fascia Cold (Wall)	5-1Gn

Code	Description	Capacity (Gn)
<b>Wood Grain Effect Panel, DL76 Beech Finish</b>		
GBEECWSC2	Glide Beech Fascia Cold (Wall)	2-1Gn
GBEECWSC3	Glide Beech Fascia Cold (Wall)	3-1Gn
GBEECWSC4	Glide Beech Fascia Cold (Wall)	4-1Gn
GBEECWSC5	Glide Beech Fascia Cold (Wall)	5-1Gn

Code	Description	Capacity (Gn)
<b>Wood Grain Effect Panel, DL84 Oak Finish</b>		
GOAKWSC2	Glide Oak Fascia Cold (Wall)	2-1Gn
GOAKWSC3	Glide Oak Fascia Cold (Wall)	3-1Gn
GOAKWSC4	Glide Oak Fascia Cold (Wall)	4-1Gn
GOAKWSC5	Glide Oak Fascia Cold (Wall)	5-1Gn



Model GMDR3HT  
Option GBLUECHA3 Shown



Model GMDR3HT  
Option GOAKCHA3 Shown



Model GMDF3HT  
Option GGRENWSC3 Shown



Model GMDF3HT  
Option GBEECWSC3 Shown



# Refrigerated Cold Multideck

## ACCESSORIES & POPULAR CODES




### Glide Night Blind (Cold Multideck)

Code	Description	Capacity (Gn)	Dimensions (L x H mm)	Weight (kg)
GNB2	Glide Night Blind (Self Help M.Deck)	2-1Gn	770 x 662	0.5
GNB3	Glide Night Blind (Self Help M.Deck)	3-1Gn	1120 x 662	1
GNB4	Glide Night Blind (Self Help M.Deck)	4-1Gn	1470 x 662	1
GNB5	Glide Night Blind (Self Help M.Deck)	5-1Gn	1820 x 662	1.4

### (For Self Help Cold Multideck)

#### Option Description.

Insulated pull down night blind, hook fastening, energy saving. Factory fit or retro-fit by competent person.




### Glide S/Steel Folding Tubular Tray Rail

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	Weight (kg)
GTTS2	Glide S/Steel Drop Down Tray Rail	2-1Gn	825 x 298 x (base-55)	2
GTTS3	Glide S/Steel Drop Down Tray Rail	3-1Gn	1175 x 298 x (base-55)	3
GTTS4	Glide S/Steel Drop Down Tray Rail	4-1Gn	1525 x 298 x (base-55)	5
GTTS5	Glide S/Steel Drop Down Tray Rail	5-1Gn	1875 x 298 x (base-55)	7

### (For Cold Multideck)

#### Option Description.

S/steel tubular tray rail, 304 gd. Ø25 tube, drop down bracket type, up position depth + 298 mm to base unit, down position depth + 40mm to base unit. Trayslide height = base unit (h) - 50mm.



### Glide S/Steel Folding Solid Tray Slide

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	Weight (kg)
GSTS2	Glide S/Steel Drop Down Solid Tray Slide	2-1Gn	825 x 302 x (base-55)	3
GSTS3	Glide S/Steel Drop Down Solid Tray Slide	3-1Gn	1175 x 302 x (base-55)	5
GSTS4	Glide S/Steel Drop Down Solid Tray Slide	4-1Gn	1525 x 302 x (base-55)	7
GSTS5	Glide S/Steel Drop Down Solid Tray Slide	5-1Gn	1875 x 302 x (base-55)	9

### (For Cold Multideck)

#### Option Description.

S/steel solid tray slide, drop down bracket type, up position depth + 302 mm to base unit, down position depth + 40mm to base unit. Trayslide height = base unit (h) - 50mm.



### Glide S.Help Cold M.deck - Doors (& Tray Rail)

Model Code	Option Code	Description
GMDR2HT	GTTS2	Glide S.Help Cold M.Deck-Doors + T.Rail 2-1
GMDR3HT	GTTS3	Glide S.Help Cold M.Deck-Doors + T.Rail 3-1
GMDR4HT	GTTS4	Glide S.Help Cold M.Deck-Doors + T.Rail 4-1
GMDR5HT	GTTS5	Glide S.Help Cold M.Deck-Doors + T.Rail 5-1

*Airflow In/Out Operator Side*



### Glide S.Help Cold M.deck - Fixed Back (& Tray Rail)

Model Code	Option Code	Description
GMDF2HT	GTTS2	Glide S.Help Cold M.Deck-F.Back + T.Rail 2-1
GMDF3HT	GTTS3	Glide S.Help Cold M.Deck-F.Back + T.Rail 3-1
GMDF4HT	GTTS4	Glide S.Help Cold M.Deck-F.Back + T.Rail 4-1
GMDF5HT	GTTS5	Glide S.Help Cold M.Deck-F.Back + T.Rail 5-1

*Airflow In/Out Customer Side*



### Glide Ass. Serve Cold M.deck - Doors (& Tray Rail)

Model Code	Option Code	Description
GMDR2ASHT	GTTS2	Glide S.Help Cold M.Deck-Doors + T.Rail 2-1
GMDR3ASHT	GTTS3	Glide S.Help Cold M.Deck-Doors + T.Rail 3-1
GMDR4ASHT	GTTS4	Glide S.Help Cold M.Deck-Doors + T.Rail 4-1
GMDR5ASHT	GTTS5	Glide S.Help Cold M.Deck-Doors + T.Rail 5-1

*Airflow In/Out Operator Side*



### Glide S.Help Cold M.deck - Doors (Colour Finish Red)

Model Code	Option Code	Description
GMDR2HT	GPREDCHA2	Glide S.Help Cold M.Deck-Doors (Red) 2-1
GMDR3HT	GPREDCHA3	Glide S.Help Cold M.Deck-Doors (Red) 3-1
GMDR4HT	GPREDCHA4	Glide S.Help Cold M.Deck-Doors (Red) 4-1
GMDR5HT	GPREDCHA5	Glide S.Help Cold M.Deck-Doors (Red) 5-1

*Airflow In/Out Operator Side*



### Glide S.Help Cold M.deck - Doors (& Tray Slide)

Model Code	Option Code	Description
GMDR2HT	GSTS2	Glide S.Help Cold M.Deck-Doors + T.Slide 2-1
GMDR3HT	GSTS3	Glide S.Help Cold M.Deck-Doors + T.Slide 3-1
GMDR4HT	GSTS4	Glide S.Help Cold M.Deck-Doors + T.Slide 4-1
GMDR5HT	GSTS5	Glide S.Help Cold M.Deck-Doors + T.Slide 5-1


*Airflow In/Out Operator Side*




### Glide S.Help Cold M.deck - Fixed Back (Colour Finish Red)

Model Code	Option Code	Description
GMDF2HT	GPREDWSC2	Glide S.Help Cold M.Deck-F.Back (Red) 2-1
GMDF3HT	GPREDWSC3	Glide S.Help Cold M.Deck-F.Back (Red) 3-1
GMDF4HT	GPREDWSC4	Glide S.Help Cold M.Deck-F.Back (Red) 4-1
GMDF5HT	GPREDWSC5	Glide S.Help Cold M.Deck-F.Back (Red) 5-1


*Airflow In/Out Customer Side*




Glide Cold Multideck - Doors (Self Help/ Ass. Serve)



Glide Cold Multideck - Fixed Back (Self Help)



Glide Cold Multideck - Doors (Self Help/ Ass. Serve) + Tray Rail



Glide Cold Multideck - Fixed Back (Self Help) + Tray Rail

