



Wall Sited Ambient Cupboard - Plain Top (Rear Side)



Wall Sited Ambient Cupboard - Plain Top (Customer Side)

## ABOUT

This durable, wall sited ambient storage cupboard forms part of the Glide range of mobile dining carts - a choice of cold, hot & ambient commercial catering carts that combine to form a food service counter solution as unique as your requirements!

This plain top ambient storage cupboard (no gantry) can be positioned against a wall or in a recessed area. It is made in 4 different sizes to suit the servery layout. The cupboard features a s/steel plain worktop with a front facing cupboard underneath.

Behind the removable sliding merlin grey plastisol steel front cupboard doors, are two tiers of internal grid shelves for plate/ container storage.

The cupboards accept plates, dishes or up to 10x 1-1 Gn size (200mm deep) gastronorm containers (not included), depending on the cupboard size.

The rear & side base panels are finished in leathergrain plastisol steel, colour merlin grey (BS 18B25). Each model comes with lockable castors.

## ACCESSORIES & FINISHES

### Folding Steel Solid or Tubular Tray Slides.

Tray slides + 40mm (d) height = (h) - 50mm.

### Selection Of Colour Finishes To Bases.

11 alternative choices of durable steel, colour & wood effect for the external front/ side base panels.

## FEATURES

Download All Technical Drawings From [www.cedfabsltd.co.uk](http://www.cedfabsltd.co.uk)

### Model Type.

The Glide wall sited ambient storage cupboard is a mobile plain top storage station with solid external rear/ side fascia panels, s/steel worktop & a front facing two tier wire rack shelf storage cupboard. Each shelf is adjustable in height and fully removable for cleaning. The front facing sliding doors are also removable. This model is for wall sited use.

### Model Dimensions.

The cupboard is available as 2-1Gn (825mm), 3-1Gn (1175mm), 4-1Gn (1525mm) & 5-1 Gn (1875mm) long x 700mm (D), 900mm (H) & fitted with lockable heavy duty castors.

### Model Finishes.

Base, outer end panels & front facing sliding doors in plastisol steel, colour merlin grey. Worktop in 430gd.s/steel. Sliding plastisol steel doors are fitted with s/steel rubbing strip.

### Low Maintenance

Easy, cleanable surfaces and a durable design ensure low maintenance for users.

### Finishes & Options

For use in alcoves or recesses, the wall sited cupboard can be customised with many accessories such as tray slides, tray rails, other plastisol coloured front sliding door finishes, heated or ambient self help gantries and also low height versions for junior/ primary age use.

### Suitability For Worktop Mounted Equipment.

The s/steel worktop is suitable for supporting some worktop mounted equipment.

### Power Supply.

When used with a self help heated or ambient gantry, the wall sited cupboard is supplied with a 3m lead & 13 amp UK plug (13A 230v 50Hz).

**Equipment Conformity.** CE & UKCA Certified equipment (with electrical options).

## GANTRY OPTIONS

**Ambient Gantry.** A curved glass self help gantry option with LED lighting (4000k) can be added to increase your food presentation space and optimise un-used areas of the servery.

### Heated Gantry.

A self help heated gantry option provides short term hot holding of plated meals under.



## HEIGHT OPTIONS

### Low Height Model (Glide Junior).

850mm or 800mm high options for junior/ primary use.



### Glide Wall Sited Ambient Cupboard (Plain Top)

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	Depth With Tray Slide Up/ Down	Weight (kg)
GWSACP2	Glide Wall Sited Plain Top Amb. Cupd No Gantry	2-1	825 x 700 x 900	1000/ 740mm	60
GWSACP3	Glide Wall Sited Plain Top Amb. Cupd No Gantry	3-1	1175 x 700 x 900	1000/ 740mm	70
GWSACP4	Glide Wall Sited Plain Top Amb. Cupd No Gantry	4-1	1525 x 700 x 900	1000/ 740mm	82
GWSACP5	Glide Wall Sited Plain Top Amb. Cupd No Gantry	5-1	1875 x 700 x 900	1000/ 740mm	91

**Model Description.** Glide mobile, wall sited plain top amb. store cupboard (no gantry), 700(d) x 900(h), plain worktop with front facing cupb.under, removable front facing sliding cupboard doors colour merlin grey, internal grid shelves, for plate/ container storage, accommodates up to (4) x 1-1 Gn 200mm (d) containers (not included), rear/side base panels & cupbd. doors in leathergrain plastisol steel, colour merlin grey (BS 18B25), lockable castors. (Gantry/ Tray Rails Optional)

### Glide S/Steel Folding Tubular Tray Rail

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	Weight (kg)
GTTS2	Glide S/Steel Drop Down Tray Rail	2-1 Gn	825 x 298 x (base-55)	2
GTTS3	Glide S/Steel Drop Down Tray Rail	3-1 Gn	1175 x 298 x (base-55)	3
GTTS4	Glide S/Steel Drop Down Tray Rail	4-1 Gn	1525 x 298 x (base-55)	5
GTTS5	Glide S/Steel Drop Down Tray Rail	5-1 Gn	1875 x 298 x (base-55)	7

### For Wall Sited Ambient Cupboard

**Option Description.** S/steel tubular tray rail, 304 gd. Ø25 tube, drop down bracket type, up position depth + 298 mm to base unit, down position depth + 40mm to base unit. Trayslide height = base unit (h) - 55mm.



### Glide S/Steel Folding Solid Tray Slide

Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	Weight (kg)
GSTS2	Glide S/Steel Drop Down Solid Tray Slide	2-1Gn	825 x 302 x (base-55)	3
GSTS3	Glide S/Steel Drop Down Solid Tray Slide	3-1Gn	1175 x 302 x (base-55)	5
GSTS4	Glide S/Steel Drop Down Solid Tray Slide	4-1Gn	1525 x 302 x (base-55)	7
GSTS5	Glide S/Steel Drop Down Solid Tray Slide	5-1Gn	1875 x 302 x (base-55)	9

### For Wall Sited Ambient Cupboard

**Option Description.** S/steel solid tray slide, drop down bracket type, up position depth + 302 mm to base unit, down position depth + 40mm to base unit. Trayslide height = base unit (h) - 55mm.








# Wall Sited Ambient Cupboard

FINISHES, HEIGHT, GANTRY OPTIONS



## HEIGHT OPTIONS Low Height Model (Glide Junior) - 800/ 850mm (h)



Code	Description	Base Height (mm)	Optional Tray Slide Height (mm)
G800H**	Glide Base Unit 800mm Height	800	745
G850H	Glide Base Unit 850mm Height	850	795

\*\*G800H Bespoke Option (With Extended lead Time)

## For Wall Sited Ambient Cupboard

**Option Description.**  
Lower height option codes for junior/ primary use.  
**\*\*800mm (h) base unit, c/w 100mm lockable castors. (Optional trayslide height becomes 745mm high)\*\***  
**850mm (h) base unit, c/w 100mm lockable castors. (Optional trayslide height becomes 795mm high).**

## FINISHES

## Colour Finishes To Base Cupboard

**Option Description.**

11 choices of leathergrain plastisol steel colours/ wood effect laminated steel for front opening sliding cupbd. doors/ sides.



Model GWSACP3  
Option GGRENWSA3 Shown



Model GWSACP3  
Option GBEECWSA3 Shown

Code	Description	Capacity
<b>Ocean Blue (BS 18C37)</b>		
GBLUEWSA2	Glide Blue Cupbd. Amb.(Wall) 2-1Gn	
GBLUEWSA3	Glide Blue Cupbd. Amb.(Wall) 3-1Gn	
GBLUEWSA4	Glide Blue Cupbd. Amb.(Wall) 4-1Gn	
GBLUEWSA5	Glide Blue Cupbd. Amb.(Wall) 5-1Gn	
<b>Goosewing Light Grey (BS 10A05)</b>		
GGREYWSA2	Glide Grey Cupbd. Amb.(Wall) 2-1Gn	
GGREYWSA3	Glide Grey Cupbd. Amb.(Wall) 3-1Gn	
GGREYWSA4	Glide Grey Cupbd. Amb.(Wall) 4-1Gn	
GGREYWSA5	Glide Grey Cupbd. Amb.(Wall) 5-1Gn	
<b>Poppy Red (BS 04E5B)</b>		
GPREDWSA2	Glide Red Cupbd. Amb.(Wall) 2-1Gn	
GPREDWSA3	Glide Red Cupbd. Amb.(Wall) 3-1Gn	
GPREDWSA4	Glide Red Cupbd. Amb.(Wall) 4-1Gn	
GPREDWSA5	Glide Red Cupbd. Amb.(Wall) 5-1Gn	
<b>White (BS 00E55)</b>		
GWHITWSA2	Glide White Cupbd. Amb.(Wall) 2-1Gn	
GWHITWSA3	Glide White Cupbd. Amb.(Wall) 3-1Gn	
GWHITWSA4	Glide White Cupbd. Amb.(Wall) 4-1Gn	
GWHITWSA5	Glide White Cupbd. Amb.(Wall) 5-1Gn	
<b>Wood Grain Effect Panels DL85 Walnut Finish</b>		
GWALNWSA2	Glide Walnut Cupbd. Amb.(Wall) 2-1Gn	
GWALNWSA3	Glide Walnut Cupbd. Amb.(Wall) 3-1Gn	
GWALNWSA4	Glide Walnut Cupbd. Amb.(Wall) 4-1Gn	
GWALNWSA5	Glide Walnut Cupbd. Amb.(Wall) 5-1Gn	

## For Wall Sited Ambient Cupboard

Code	Description	Capacity
<b>Satin S/Steel (430 gd.)</b>		
GSSTLWSA2	Glide S/Stl. Cupbd. Amb.(Wall) 2-1Gn	
GSSTLWSA3	Glide S/Stl. Cupbd. Amb.(Wall) 3-1Gn	
GSSTLWSA4	Glide S/Stl. Cupbd. Amb.(Wall) 4-1Gn	
GSSTLWSA5	Glide S/Stl. Cupbd. Amb.(Wall) 5-1Gn	
<b>Forest Green/Heritage (RAL 6002)</b>		
GGRENWSA2	Glide Green Cupbd. Amb.(Wall) 2-1Gn	
GGRENWSA3	Glide Green Cupbd. Amb.(Wall) 3-1Gn	
GGRENWSA4	Glide Green Cupbd. Amb.(Wall) 4-1Gn	
GGRENWSA5	Glide Green Cupbd. Amb.(Wall) 5-1Gn	
<b>Buttermilk Cream/ Honesty (BS 10C31)</b>		
GCREMWSA2	Glide Cream Cupbd. Amb.(Wall) 2-1Gn	
GCREMWSA3	Glide Cream Cupbd. Amb.(Wall) 3-1Gn	
GCREMWSA4	Glide Cream Cupbd. Amb.(Wall) 4-1Gn	
GCREMWSA5	Glide Cream Cupbd. Amb.(Wall) 5-1Gn	
<b>Black (BS 00E53)</b>		
GBLAKWSA2	Glide Black Cupbd. Amb.(Wall) 2-1Gn	
GBLAKWSA3	Glide Black Cupbd. Amb.(Wall) 3-1Gn	
GBLAKWSA4	Glide Black Cupbd. Amb.(Wall) 4-1Gn	
GBLAKWSA5	Glide Black Cupbd. Amb.(Wall) 5-1Gn	
<b>Wood Grain Effect Panels DL76 Beech Finish</b>		
GBEECWSA2	Glide Beech Cupbd. Amb.(Wall) 2-1Gn	
GBEECWSA3	Glide Beech Cupbd. Amb.(Wall) 3-1Gn	
GBEECWSA4	Glide Beech Cupbd. Amb.(Wall) 4-1Gn	
GBEECWSA5	Glide Beech Cupbd. Amb.(Wall) 5-1Gn	



## Wood Grain Effect Panels DL84 Oak Finish

GOAKWSA2	Glide Oak Cupbd. Amb.(Wall) 2-1Gn
GOAKWSA3	Glide Oak Cupbd. Amb.(Wall) 3-1Gn
GOAKWSA4	Glide Oak Cupbd. Amb.(Wall) 4-1Gn
GOAKWSA5	Glide Oak Cupbd. Amb.(Wall) 5-1Gn

## GANTRY OPTIONS Glide Wall Sited Ambient Gantry c/w LED Lighting (Self Help)

## Wall Sited Ambient Cupboard



Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	Weight (kg)	Power (kW)
GWSAG2	Glide Wall Sited Amb Gantry S. Help	2-1Gn	825 x 700 x 397	7	0.008
GWSAG3	Glide Wall Sited Amb Gantry S. Help	3-1Gn	1175 x 700 x 397	9	0.014
GWSAG4	Glide Wall Sited Amb Gantry S. Help	4-1Gn	1525 x 700 x 397	12	0.016
GWSAG5	Glide Wall Sited Amb Gantry S. Help	5-1Gn	1875 x 700 x 397	16	0.022

**Option Description.**  
Wall sited ambient gantry, s/steel, c/w LED lighting, opaque cover, colour 4000k, single curved glass sneeze screen, self help use only, + 397(h) above worktop, end glass.

## Glide Wall Sited Heated Gantry c/w Hot Lamps (Self Help)

## Wall Sited Ambient Cupboard



Code	Description	Capacity (Gn)	Dimensions (L x D x H mm)	Weight (kg)	Power (kW)
GWSHG2PTAC	Glide wall Site Hot Gantry-Amb.Cpbd. 2-1	2-1	825 x 700 x 397	7	0.40
GWSHG3PTAC	Glide wall Site Hot Gantry-Amb.Cpbd. 3-1	3-1	1175 x 700 x 397	9	0.60
GWSHG4PTAC	Glide wall Site Hot Gantry-Amb.Cpbd. 4-1	4-1	1525 x 700 x 397	12	0.80
GWSHG5PTAC	Glide wall Site Hot Gantry-Amb.Cpbd. 5-1	5-1	1875 x 700 x 397	16	1.00

**Option Description.**  
Wall sited hot gantry, s/steel, single curve glass sneeze screen, self help use only, + 397(h) above worktop, reinforced worktop for heat, fitted with quartz infra-red jacketed safety lamps.







# Wall Sited Ambient Cupboard

## POPULAR MODELS & OPTIONS



### Glide Wall Sited Ambient Cupboard (& Tray Slide)

Model Code	Option Code	Description
GWSACP2	GSTS2	Glide Wall Site Amb.Cupbd. & T/Slide 2-1Gn
GWSACP3	GSTS3	Glide Wall Site Amb.Cupbd. & T/Slide 3-1Gn
GWSACP4	GSTS4	Glide Wall Site Amb.Cupbd. & T/Slide 4-1Gn
GWSACP5	GSTS5	Glide Wall Site Amb.Cupbd. & T/Slide 5-1Gn

### Glide Wall Sited Ambient Cupboard (& Tray Rail)

Model Code	Option Code	Description
GWSACP2	GTTS2	Glide Wall Site Amb.Cupbd. & T/Rail 2-1Gn
GWSACP3	GTTS3	Glide Wall Site Amb.Cupbd. & T/Rail 3-1Gn
GWSACP4	GTTS4	Glide Wall Site Amb.Cupbd. & T/Rail 4-1Gn
GWSACP5	GTTS5	Glide Wall Site Amb.Cupbd. & T/Rail 5-1Gn



### Glide Wall Sited Ambient Cupboard (& Ambient Gantry)

Model Code	Option Code	Description
GWSACP2	GWSAG2	Glide Wall Site Amb.Cupbd./Amb.Gantry 2-1
GWSACP3	GWSAG3	Glide Wall Site Amb.Cupbd./Amb.Gantry 3-1
GWSACP4	GWSAG4	Glide Wall Site Amb.Cupbd./Amb.Gantry 4-1
GWSACP5	GWSAG5	Glide Wall Site Amb.Cupbd./Amb.Gantry 5-1

\*Requires 13A 230V Elec. Socket For LED Gantry Lights (Self Help Gantry)

### Glide Wall Sited Ambient Cupboard (& Hot Gantry)

Model Code	Option Code	Description
GWSACP2	GWSHG2PTAC	Wall Site Amb.Cupbd./Hot Gantry 2-1
GWSACP3	GWSHG3PTAC	Wall Site Amb.Cupbd./Hot Gantry 3-1
GWSACP4	GWSHG4PTAC	Wall Site Amb.Cupbd./Hot Gantry 4-1
GWSACP5	GWSHG5PTAC	Wall Site Amb.Cupbd./Hot Gantry 5-1

\*Requires 13A 230V Elec. Socket For Quartz IR Gantry Lamps (Self Help Gantry)



### Glide Wall Sited Ambient Cupboard (& Ambient Gantry/Colour Finish)

Model Code	Option Code	Option Code	Description
GWSACP2	GWSAG2	GPREDWSA2	WS A.Cupbd./A.Gantry/Red 2-1
GWSACP3	GWSAG3	GPREDWSA3	WS A.Cupbd./A.Gantry/Red 3-1
GWSACP4	GWSAG4	GPREDWSA4	WS A.Cupbd./A.Gantry/Red 4-1
GWSACP5	GWSAG5	GPREDWSA5	WS A.Cupbd./A.Gantry/Red 5-1

\*Requires 13A 230V Elec. Socket For LED Gantry Lights (Self Help Gantry)

### Glide Wall Sited Ambient Cupboard (& Hot Gantry/Colour Finish)

Model Code	Option Code	Option Code	Description
GWSACP2	GWSHG2PTAC	GPREDWSA2	WS A.Cupbd./H.Gantry/Red 2-1
GWSACP3	GWSHG3PTAC	GPREDWSA3	WS A.Cupbd./H.Gantry/Red 3-1
GWSACP4	GWSHG4PTAC	GPREDWSA4	WS A.Cupbd./H.Gantry/Red 4-1
GWSACP5	GWSHG5PTAC	GPREDWSA5	WS A.Cupbd./H.Gantry/Red 5-1

\*Requires 13A 230V Elec. Socket For Quartz IR Gantry Lamps (Self Help Gantry)



### Glide Wall Sited Ambient Cupboard (& Ambient Gantry/Tray Rail & Colour Finish)

Model Code	Option Code	Option Code	Option Code	Description
GWSACP2	GWSAG2	GTTS2	GPREDWSA2	W.Site A.Cupbd./A.Gantry/T.Rail/Red 2-1
GWSACP3	GWSAG3	GTTS3	GPREDWSA3	W.Site A.Cupbd./A.Gantry/T.Rail/Red 3-1
GWSACP4	GWSAG4	GTTS4	GPREDWSA4	W.Site A.Cupbd./A.Gantry/T.Rail/Red 4-1
GWSACP5	GWSAG5	GTTS5	GPREDWSA5	W.Site A.Cupbd./A.Gantry/T.Rail/Red 5-1

\*Requires 13A 230V Elec. Socket For LED Gantry Lights (Self Help Gantry)



### Glide Wall Sited Ambient Cupboard (& Hot Gantry/Tray Rail & Colour Finish)

Model Code	Option Code	Option Code	Option Code	Description
GWSACP2	GWSHG2PTAC	GTTS2	GPREDWSA2	W.Site A.Cupbd./Hot Gantry/T.Rail/Red 2-1
GWSACP3	GWSHG3PTAC	GTTS3	GPREDWSA3	W.Site A.Cupbd./Hot Gantry/T.Rail/Red 3-1
GWSACP4	GWSHG4PTAC	GTTS4	GPREDWSA4	W.Site A.Cupbd./Hot Gantry/T.Rail/Red 4-1
GWSACP5	GWSHG5PTAC	GTTS5	GPREDWSA5	W.Site A.Cupbd./Hot Gantry/T.Rail/Red 5-1

\*Requires 13A 230V Elec. Socket For Quartz IR Gantry Lamps (Self Help Gantry)

